

**GRANT OF EQUIPMENT
AUTHORIZATION**

**Certification
Issued Under the Authority of the
Federal Communications Commission
By:**

**Compliance Certification Services
47173 Benicia Street
Fremont, CA 94538**

**Date of Grant: 03/27/2009
Application Dated: 03/27/2009**

**SOLiD Technologies, Inc.
18th Floor, KINS Tower, 25-1 Jeongja-Dong,
Bundang-Gu,
Seongnam-Si, Gyeonggi-Do, 463-811
South Korea**

Attention: Kangyeob Bae , Director

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: W6U1900PAWS1
Name of Grantee: SOLiD Technologies, Inc.
Equipment Class: PCS Licensed Transmitter
Notes: RDU MODULE(1900P/AWS-1)

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	24E	1930.0 - 1995.0	0.398107	Amp	F9W
	24E	1930.0 - 1995.0	0.398107	Amp	DXW
	24E	1930.0 - 1995.0	0.398107	Amp	G7W
	27	2110.0 - 2155.0	0.398107	Amp	F9W
	27	2110.0 - 2155.0	0.398107	Amp	DXW
	27	2110.0 - 2155.0	0.398107	Amp	G7W

Booster. In-Building Radiation System. Output power listed is conducted maximum aggregate for single or multiple carrier operation. For multiple carrier operation, output power per carrier is reduced in proportion to the number of carriers. Device is a fiber optic remote downlink transmitter. Uplink is by non-transmitting host unit verified separately and is not part of this certification. RF exposure must be addressed at the time of licensing, as required by the responsible FCC Bureau(s), including antenna co-location requirements of §1.1307(b)(3).

